

## บรรณานุกรม

กรมโรงงานอุตสาหกรรม. 2553. เทคโนโลยีการออกแบบระบบก๊าซชีวภาพ. คู่มือการปฏิบัติงาน  
เกี่ยวกับการออกแบบการผลิตการควบคุมคุณภาพและหลักการใช้ก๊าซชีวภาพ (Biogas)  
สำหรับโรงงานอุตสาหกรรม

- Adams, M.R. and Nicolaides, L. 1997. Review of the sensitivity of different foodborne pathogens to fermentation. *Food Control.* 8, 227-230.
- Angelidaki, I. and Ellegaard, L. 2003. Co-digestion of manure and organic wastes in centralized biogas plants. *Applied Biochemistry and Biotechnology.* 109 (1-3), 95-105.
- Angelidaki, I., Alves, M., Bolzonella, D., Borzacconi, L., Campos, J.L., Guwy, A.J., Kalyuzhnyi, S., Jenicek, P., van. and Lier, J.B. 2009. Defining the biomethane potential (BMP) of solid organic wastes and energy crops: a proposed protocol for batch assays. *Water Science and Technology.* 59 (5), 927-934.
- Angelidaki, I., Petersen, S.P. and Ahring, B.K. 1990. Effects of lipids on thermophilic anaerobic digestion and reduction of lipid inhibition upon addition of bentonite. *Applied Microbiology and Biotechnology.*, 33 (4), 469-472.
- Angenent, L.T., Karim, K., Al-Dahhan, M. H., Wrenn, B. A. and Domínguez-Espínosa, R. 2004. Production of bioenergy and biochemicals from industrial and agricultural wastewater. *TRENDS in Biotechnology.* 22 (9), 477-485.
- Badiei, M., Jahim, J.M., Anuar, N. and Abdullah, S.R.S. 2011. Effect of hydraulic retention time on biohydrogen production from palm oil mill effluent in anaerobic sequencing batch reactor. *International Journal of Hydrogen Energ.* 36, 5912–5919.
- Batstone, DJ., Keller, J., Angelidaki, I., Kalyuzhnyi, SV., Pavlostathis, SG., Rozzi, A. and Vavilin, VA. 2002. The IWA Anaerobic Digestion Model No 1(ADM 1). *Water Science and Technology.* 45 (10), 65-73.
- Blumensaat, F. and Keller, J. 2005. Modelling of two-stage anaerobic digestion using the IWA Anaerobic Digestion Model No. 1 (ADM1). *Water Research.* 39 (1), 171-183.
- Boe, K. 2005. Online monitoring and control of the biogas process. PhD dissertation, Department of Environmental Engineering. Technical University of Denmark.
- Boe, K., Kougias, P.G., Pacheco, F., O-Thong, S. and Angelidaki, I. 2012. Effect of substrates and intermediate compounds on foaming in manure digestion systems. *Water Science and Technology.* 66 (10), 2146–2154.

- Chambers, P.A., Lacoul, P., Murphy, K.J. and Thomaz, S.M. 2008. Global diversity of aquatic macrophytes in freshwater. *Hydrobiologia*. 595 (1), 9-26.
- Chan, Y.J., Chong, M.F. and Law, C.L. 2010. Biological treatment of anaerobically digested palm oil mill effluent (POME) using a Lab scale Sequencing Batch Reactor (SBR) Start up and operation of anaerobic EGSB reactor treating palm oil mill effluent. *Journal of Environmental and Management*. 91 (8), 1738-46.
- Cheewasedtham, C., Cheewasedtham, W. and Tjell, J. 2009. Marine algae as biomass for energy production. Proposal submitted to EGAT. Thailand.
- Chin, MJ., Poh, PE., Tey, BT., Chan, ES. and Chin, K. L. 2013. Biogas from palm oil mill effluent (POME): Opportunities and challenges from Malaysia's perspective. *Renewable and Sustainable Energy Reviews*. 26, 717-726.
- Cooney, M., Maynard, N., Cannizzaro, C. and Benemann, J. 2007. Two-phase anaerobic digestion for production of hydrogen-methane mixtures. *Bioresource Technology*. 98 (14), 2641-2651.
- Coorit, W. and Wisarnwan. 2007. Effect of temperature on the anaerobic digestion of palm oil mill effluent. *Electronic Journal of Biotechnology*. 10 (3), 376-385.
- Costa, J., Goncalves, P., Nobre, A. and Alves, M. 2012. Biomethanation potential of macroalgae *Ulva* spp. and *Gracilaria* spp. and in co-digestion with waste activated sludge. *Bioresource Technology*. 114, 320-326.
- Fang, C., O-Thong, S., Boe, K. and Angelidaki, I. 2011. Comparison of UASB and EGSB reactors performance, for treatment of raw and de-oiled palm oil mill effluent (POME). *Journal of Hazardous Materials*, 189, 229–234.
- Ganidi, N., Tyrrel, S. and Cartmell, E. 2009. Anaerobic digestion foaming causes—a review. *Bioresource Technology*, 100 (23), 5546-5554.
- Ge, H., Jensen, PD. and Batstone, DJ. 2011. Increased temperature in the thermophilic stage in temperature phased anaerobic digestion (TPAD) improves degradability of waste activated sludge. *Journal of Hazardous Materials*. 187 (1), 355-361.
- Harsono, S., Grundmann, P. and Soebronto, S. 2013. Anaerobic treatment of palm oil mill effluents: potential contribution to net energy yield and reduction of greenhouse gas emissions from biodiesel production. *Journal of Cleaner Production*: Article Impress.
- Heard, J., Harvey, E., Johnson, B.B., Wells, J.D. and Angove, M.J. 2008. The effect of filamentous bacteria on foam production and stability. *Colloids and Surfaces B: Biointerfaces*. 63 (1), 21–26.

- Hung, C.H., Chang, Y.T., and Chang, Y.J. 2011. Roles of microorganisms other than Clostridium and Enterobacter in anaerobic fermentative biohydrogen production systems—a review. *Bioresource Technology*. 102 (18), 8437-8444.
- Jariyaboon, R., Sompong, O., and Kongjan, P. 2015. Bio-hydrogen and bio-methane potentials of skim latex serum in batch thermophilic two-stage anaerobic digestion. *Bioresource Technology*. 198, 198-206.
- Kengen, S., Goorissen, H., Verhaart, M., Stams, A. van., Niel, E. and Claassen, P. 2009. Biological hydrogen production by anaerobic microorganisms. *Biofuels*. 197–221.
- Khemkhan, M., Nuntakumjorn, B., Techkarnjanaruk, S. and Phalakornkule, C. 2012. UASB performance and microbial adaptation during a transition from mesophilic to thermophilic treatment of palm oil mill effluent. *Journal of Environmental and Management*. 103, 74-82.
- Kongjan, P., Min, B. and Angelidaki, I. 2009. Biohydrogen production from xylose at extreme thermophilic temperatures (70°C) by mixed culture fermentation. *Water Research*. 43 (2), 1414-1424.
- Kongjan, P., O-Thong, S. and Angelidaki, I. 2011. Performance and microbial community analysis of two-stage process with extreme thermophilic hydrogen and thermophilic methane production from hydrolysate in UASB reactors. *Bioresource Technology*. 102 (5), 4028-4035.
- Koyama, M., Yamamoto, S., Ishikawa, K., Ban, S. and Toda, T. 2014. Anaerobic digestion of submerged macrophytes: Chemical composition and anaerobic digestibility. *Ecological Engineering*. 69, 304-309.
- Koyama, M., Yamamoto, S., Ishikawa, K., Ban, S. and Toda, T. 2015. Enhancing anaerobic digestibility of lignin-rich submerged macrophyte using thermochemical pre-treatment. *Biochemical Engineering Journal*, 99, 124-130.
- Kufel, L. and Kufel, I. 2002. *Chara* beds acting as nutrient sinks in shallow lakes - a review. *Aquatic Botany*. 72 (3), 249-260.
- Kvesitadze, G., Sadunishvili, T., Dudauri, T., Zakariaishvili, N., Partskhaladze, G., Ugreshkhelidze, V. and Jobava, M. 2012. Two-stage anaerobic process for bio-hydrogen and bio-methane combined production from biodegradable solid wastes. *Energy*. 37 (1), 94-102.
- Lahijani, P., Zainal, Z.A, Mohamed, A.R. and Mohammadi, M. 2013. Ash of palm empty fruit bunch as a natural catalyst for promoting the CO<sub>2</sub> gasification reactivity of biomass char. *Bioresource Technology*. 132, 351–355.

- Lane, D.J. 1991. 16S/23 S rRNA sequencing. In: Stackebrandt E, Goodfellow M, editors. Nucleic acid techniques in bacterial systematics. Chichester: John Wiley and Sons. 115–176.
- Lauka, D., Pastare, L., Blumberga, D., and Romanoli, F. 2015. Preliminary analysis of anaerobic digestion process using *Ceratophyllum demersum* and low carbon content additives: a batch test study. Energy Procedia. 72, 142-147.
- Lee, D., Ebie, Y., Xu, K., Li, Y. and Inamori, Y. 2010. Continuous H<sub>2</sub> and CH<sub>4</sub> production from high-solid food waste in the two-stage thermophilic fermentation process with the recirculation of digester sludge. Bioresour Technol. 101 (1S), 42-47.
- Lee, M., Hidaka, T., Hagiwara, W. and Tsuno, H. 2009. Comparative performance and microbial diversity of hyperthermophilic and thermophilic co-digestion of kitchen garbage and excess sludge. Bioresource Technology. 100 (2), 578-585.
- Linke, B. 2006. Kinetic study of thermophilic anaerobic digestion of solid wastes from potato processing. Biomass and Bioenergy. 30, 892-896.
- Li, Y.Q., Zhang, R.H., Chen, C., Xiao, X., Feng, L., He, Y.F., Liu, G.Q. 2013a. Evaluating methane production from anaerobic mono- and co-digestion of kitchen waste corn stover and chicken manure. Energy Fuel. 27, 2085-2091.
- Li, Y.Q., Zhang, R.H., Chen, C., Liu, G.Q. He, Y.F., Liu, X.Y. 2013b. Biogas production from co-digestion of corn stover and chicken manure under anaerobic wet hemi-solid and solid state conditions. Bioresour Technology. 149, 406-412.
- Li, Y.Q., Zhang, R.H., He, Y.F., Zhang, C. Liu, X.Y., Chen, C. 2014. Anaerobic co-digestion of chicken manure and corn stover in batch and continuously stirred tank reactor. Bioresour Technology. 149, 342-347.
- Lu, J., Gavala, H., Skiadas, I., Mladenovska, Z. and Ahring, B. 2008. Improving anaerobic sewage sludge digestion by implementation of a hyper-thermophilic prehydrolysis step. Journal of Environmental and Management. 88 (4), 881-889.
- Madhiyanon, T., Sathitruangsak, P., Sungworagarn, S., Pipatmanomai, S. and Tia, S. 2012. A pilot-scale investigation of ash and deposition formation during oil-palm empty-fruit-bunch (EFB) combustion. Fuel Processing Technology. 96, 250–264.

- Mamimin, C., Thongdumyu, P., Hniman, A., Prasertsan, P., Imai, T. and O-Thong, S. 2012. Simultaneous thermophilic hydrogen production and phenol removal from palm oil mill effluent by *Thermoanaerobacterium*-rich sludge. International Journal of Hydrogen Energy. 37 (20), 15598-15606.
- Mata-Alvarez, J., Mace S. and Labres, P. 2000. Anaerobic digestion of organic solid wastes. An overview of research achievements and perspectives. Bioresource Technology. 74, 3-16.
- Miao. H., Lu, M., Zhao, M., Huang, Z., Ren, H. and Yan. Q. 2013. Enhancement of taihu blue algae anaerobic digestion efficiency by natural storage. Bioresource Technology. 149, 359-366.
- Najafpour, G.D., Zinatizadeh, A.A.L., Mohamed, A.R., Isa, M.H. and Nasrollahzadeh, H. 2006. High-rate anaerobic digestion of palm oil mill effluent in an up-flow anaerobic sludge-fixed film bioreactor. Process Biochemistry. 41, 370–379.
- O-Thong, S., Prasertsan, P., Intrasungkha, N., Dhamwichukorn, S. and Birkeland, N.K. 2008. Optimization of simultaneous thermophilic fermentative hydrogen production and COD reduction from palm oil mill effluent by *Thermoanaerobacterium*-rich sludge. International Journal of Hydrogen Energy. 33, 1221-1231.
- Pastare, L., Romagnoli, F., Rugele, K., Dzene, I. and Blumberga, D. 2015. Biochemical methane potential from anaerobic digestion of the macrophyte *Ceratophyllum demersum*: A batch test study for Latvian conditions. Energy Procedia. 72, 310-316.
- Pohland, F. and Ghosh, S. 1971. Developments in anaerobic stabilization of organic wastes: the two-phase concept. Environmental Letters. 1 (4), 255-266.
- Poh, P.E. and Chong, M.F. 2010. Biomethanation of palm oil mill effluent (POME) with a thermophilic mixed culture cultivation using POME as a substrate. Chemical Engineering Journal. 164, 146-154.
- Porpatham, E., Ramesh, A. and Nagalingam, B. 2007. Effect of hydrogen addition on the performance of a biogas fuelled spark ignition engine. International Journal of Hydrogen Energy. 32, 2057–2065.
- Prasertsan, P., O-Thong, S. and Birkeland, N.K. 2009. Optimization and microbial community analysis for production of biohydrogen from palm oil mill effluent by thermophilic fermentative process. International Journal of Hydrogen Energy. 34, 7448–7459.
- Nazaitulshila Rasit, N., Idris, A., Harun, R. and Ghani, W.A.W.A.K. 2015. Effects of lipid inhibition on biogas production of anaerobic digestion from oily effluents and

- sludges: An overview. Renewable and Sustainable Energy Reviews. 45. 351–358.
- Reungsang, A. Sreela-or, C. and Plangklang, P. 2013. Non-sterile bio-hydrogen fermentation from food waste in a continuous stirred tank reactor (CSTR): Performance and population analysis. International Journal of Hydrogen Energy. 38 (35), 15630-15637.
- Saritpongteeraka, K. and Chaiprapat, S., 2008. Effects of pH adjustment by parawood ash and effluent recycle ratio on the performance of anaerobic baffled reactors treating high sulfate wastewater. BioresourceTechnology. 99 (18), 8987-8994.
- Sialve, B., Bernet, N. and Bernard, O. 2009. Anaerobic digestion of microalgae as a necessary step to make macroalgal biodiesel sustainable. Biotechnology Advance. 27, 409-416.
- Stamper, D., Walch, M. and Jacobs, R. 2003. Bacterial population changes in a membrane bioreactor for graywater treatment monitored by denaturing gradient gel electrophoretic analysis of 16S rRNA gene fragments. Applied and Environmental Microbiology. 69 (2), 852.
- Stams, A., Plugge, C., de Bok, F., Van Houten, B., Lens, P., Dijkman, H. and Weijma, J. 2005. Metabolic interactions in methanogenic and sulfate-reducing bioreactors. Water Science and Technology. 52 (1-2), 13-20.
- Tatara, M., Makiuchi, T., Ueno, Y., Goto, M. and Sode, K. 2008. Methanogenesis from acetate and propionate by thermophilic down-flow anaerobic packed-bed reactor. Bioresource Technology. 99 (11), 4786-4795.
- Tilche, A. and Galatola, M. 2008. The potential of bio-methane as bio-fuel/bio-energy for reducing greenhouse gas emissions: a qualitative assessment for Europe in a life cycle perspective. Water Science Technology. 57 (11), 1683-1692.
- Toru, M. and Koike, Y. 2010. Methane fermentation of a mixture of seaweed and milk at a pilot-scale plant. Journal of Bioscience and Bioengineering. 110 (5), 558-563.
- Van Niel, E., Budde, M., De Haas, G., van der Wal, F., Claassen, P. and Stams, A. 2002. Distinctive properties of high hydrogen producing extreme thermophiles, *Caldicellulosiruptor saccharolyticus* and *Thermotogaelfii*. International Journal of Hydrogen Energy. 27 (11-12), 1391-1398.
- Vergara-Fernandez, A., Vargas, G., Alarcon, N. and Velasco, A. 2008. Evaluation of marine algae as a source of biogas in a two-stage anaerobic reactor system. Biomass and Bioenergy. 32, 338-344.

- Weiland, P. 2010. Biogas production: current state and perspectives. *Applied Microbiology and Biotechnology*. 85 (4), 849-860.
- Willquist, K., Nkemka, V. N., Svensson, H., Pawar, S., Ljunggren, M., Karlsson, H., and Liden, G. 2012. Design of a novel biohythane process with high H<sub>2</sub> and CH<sub>4</sub> production rates. *International Journal of Hydrogen Energy*. 37 (23), 17749-17762.
- Yacob. S., Ali Hassan, M., Shirai, Y., Wakisaka, M. and Subash, S. 2006. Baseline study of methane emission from anaerobic ponds of palm oil mill effluent treatment. *Sci total Environ*. 366, 96-187.
- Yen, HW. and Brune, DE. 2007. Anaerobic co-digestion of algal sludge and waste paper to produce methane. *Bioresource Technology*. 98 (1), 130-134.
- Yin, C.Y., Kadir, S.A.S.A, Lim, Y.P., Syed-Ariffin, S.N. and Zamzuri, Z. 2008. An investigation into physicochemical characteristics of ash produced from combustion of oil palm biomass waste in a boiler. *Fuel Processing Technology*. 89, 693-696.
- Zhang, Y., Yan, L., Chi, L., Long, X., Mei, Z. and Zhang, Z. 2008. Startup and operation of anaerobic EGSB reactor treating palm oil mill effluent. *Journal of Environmental Sciences*. 20, 658–663.
- Zhong, w., Zhang, Z., Luo, Y., Qiao, W., Xiao, M. and Zhang, M. 2012. Biogas productivity by co-digesting Taihu blue algae with corn straw as an external carbon source. *Bioresource Technology*. 114, 281–286.
- Zinatizadeh, A., Mohamed, A., Mashitah, M., Abdullah, A. and Isa, M. 2007. Optimization of pre-treated palm oil mill effluent digestion in an up-flow anaerobic sludge fixed film bioreactor: a comparative study. *Biochemical Engineering Journal*. 35 (2), 226-237.