

บรรณานุกรม

- เจ๊ะซิดิ ทะยิเจ๊ะและ. 2557. อิทธิพลของน้ำมันแปรรูปที่ดัดแปรจากน้ำมันพืชต่อสมบัติของเทอร์โมพลาสติกวัลคาไนซ์. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาวิชาเทคโนโลยีพอลิเมอร์ คณะวิทยาศาสตร์และเทคโนโลยี มหาวิทยาลัยสงขลานครินทร์.
- ชวิศร์ กรณ์ย์เมธากุล. 2549. การปรับแต่งผิวหน้าของไททาเนียมไดออกไซด์เพื่อปรับปรุงประสิทธิภาพในกระบวนการเร่งปฏิกิริยาดำยแสง. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาวิชาเคมีอุตสาหกรรม ภาควิชาเคมีอุตสาหกรรม บัณฑิตวิทยาลัย สถาบันเทคโนโลยีพระจอมเกล้าพระนครเหนือ.
- ทิพย์วรรณ พิงสุวรรณ์รักษ์. 2558. การสร้างผิวซิลิคอนขรุขระรูปทรงพีระมิดสำหรับเซลล์แสงอาทิตย์ด้วยการใช้หน้ากากกริดในสารละลายเคมีที่ไม่ใช่ไฮโดรฟลูออริกแอซิด. ทุนอุดหนุนการวิจัยจากมหาวิทยาลัยเทคโนโลยีสุรนารี ปีงบประมาณ 2555, สำนักวิชาวิศวกรรมศาสตร์ มหาวิทยาลัยเทคโนโลยีสุรนารี, นครราชสีมา, หน้า 24.
- นายเอ็นจิเนียร์. 2553. พื้นฐานด้านแสงสว่าง : นิยามความส่องสว่าง (Luminance). สืบค้นจาก: http://www.9engineer.com/index.php?m=article&a=show&article_id=953 [16 สิงหาคม 2559].
- ประกาศกระทรวงเกษตรและสหกรณ์ เรื่องการกำหนดมาตรฐานยางและวิธีการมัดยางและการบรรจุหีบห่อสำหรับการส่งออก. (2548, 27 กันยายน). ราชกิจจานุเบกษา. เล่ม 122 ตอนที่ 106 ง. หน้า 2.
- พรนภา สุจริตวรกุล. 2548. ไทเทเนียมไดออกไซด์โฟโตคะตะลิสต์กับชีวิตประจำวัน. สืบค้นจาก: https://www2.mtec.or.th/th/e-magazine/countfavor_article.asp?a=load&fileid=72&Run_no=dlkesztbz [11 สิงหาคม 2559].
- แม่น อมรสิทธิ์ และ อมร เพชรสม. 2534. หลักการและเทคนิคการวิเคราะห์เครื่องมือ, โรงพิมพ์ชวนพิมพ์, กรุงเทพมหานคร, หน้า 499-503.
- Abraham, T., Barber, N.G. and Mallamaci, M.P. 2007. Oil distribution in iPP/EPDM thermoplastic vulcanizates. Rubber Chemistry and Technology. 80(2), 324-339.
- Advanced photon source. 2011. Electromagnetic Spectrum. Available online: <https://www.flickr.com/photos/advancedphotonsource/5940581568/in/album-72157631581049664/> [11 August 2016].

- Anesh, M. P., Gulrez, S. K., Anis, A., Shaikh, H., Ali Mohsin, M. E. and AL-Zahrani, S. M. 2014. Developments in Eu^{2+} -Doped strontium aluminate and polymer/strontium aluminate composite. *Advances in Polymer Technology*. 33(S1), E1-E9.
- Asaletha, R., Kumaran, M.G. and Thomas, S. 1999. Thermoplastic elastomers from blends of polystyrene and natural rubber: morphology and mechanical properties. *European Polymer Journal*. 35(2), 253-271.
- Babu, R.R., Singha, N.K. and Naskar, K. 2008. Studies on the influence of structurally different peroxides in polypropylene/ethylene alpha olefin thermoplastic vulcanizates (TPVs). *Express Polymer Letters*. 2(3), 226-236.
- Bem, D.B., Luyt, A.S., Dejene, B.F. and Swart, H.C. 2012. Temperature-dependence of the structural and afterglow luminance properties of polymer/ $\text{SrAl}_x\text{O}_y:\text{Eu}^{2+},\text{Dy}^{3+}$ composites. *Physica B*. 407(10), 1556-1560.
- Bem, D.B., Luyt, A.S., Dejene, F.B., Botha, J.R. and Swart, H.C. 2009. Structural, luminescent and thermal properties of blue $\text{SrAl}_2\text{O}_4:\text{Eu}^{2+},\text{Dy}^{3+}$ phosphor filled low-density polyethylene composites. *Physica B*. 404 (22), 4504-4508.
- Bem, D.B., Swart, H.C., Luyt, A.S. and Dejene, F.B. 2011a. Luminescent properties of long-lasting $\text{BaAl}_x\text{O}_y:\text{Eu}^{2+},\text{Dy}^{3+}$ nanocomposites. *Journal of Applied Polymer Science*. 121(1), 243-252.
- Bem, D.B., Swart, H.C., Luyt, A.S., Coetzee, E. and Dejene, F.B. 2010. Properties of green SrAl_2O_4 phosphor in LDPE and PMMA polymers. *Journal of Applied Polymer Science*. 117(5), 2635-2640.
- Bem, D.B., Swart, H.C., Luyt, A.S., Duvenhage, M.M. and Dejene, F.B. 2011b. Characterization of luminescent and thermal properties of long afterglow $\text{SrAl}_x\text{O}_y:\text{Eu}^{2+},\text{Dy}^{3+}$ phosphor synthesized by combustion method. *Polymer Composites*. 32(2), 219-226.
- Bhat, V.S., Govindaraj, A. and Rao, C.N.R. 2006. Tuning the emission bands of nanophosphors through the refractive index of the medium. *Chemical Physics Letters*. 422(4), 323-327.
- Biernat, K., Malinowski, A., and Gnat, M. 2013. The possibility of future biofuels

- production using waste carbon dioxide and solar energy. *Biofuels - Economy, Environment and sustainability*, Fang, Z., editors. InTech, DOI: 10.5772/53831. Available from: <http://www.intechopen.com/books/biofuels-economy-environment-and-sustainability/the-possibility-of-future-biofuels-production-using-waste-carbon-dioxide-and-solar-energy> [30 August 2016].
- Brzozowska-Stanuch, A., Rabiej, S., Fabia, J. and Nowak, J. 2014. Changes in thermal properties of isotactic polypropylene with different additives during aging process. *Polimery*. 59(4), 302-307.
- Chang, C., Yuan, Z. and Mao, D. 2006. Eu^{2+} activated long persistent strontium aluminate nano scaled phosphor prepared by precipitation method. *Journal of Alloys and Compounds*. 415(1), 220-224.
- Chen, T., Luo, Y., Zou, J., Jiang, L., Dan, Y., Zhang, L. and Zhao, K. 2008. Preparation of phosphor coated with a polymer by emulsion polymerization and its application in low-density polyethylene. *Journal of Applied Polymer Science*. 109(6), 3811-3816.
- Chen, T., Xu, P., Luo, Y., Jiang, L., Dan, Y., Zhang, L. and Zhao, K. 2009. Preparation of poly(butyl acrylate)-poly(methyl methacrylate) (core-shell)/phosphor composite particles and its application in PVC Matrix. *Journal of Applied Polymer Science*. 114(1), 496-502.
- Clabau, F., Rocquefelte, X., Jobic, S., Deniard, P., Whangbo, M.-H., Garcia, A. and Le Mercier, T. 2005. Mechanism of phosphorescence appropriate for the long-lasting phosphors Eu^{2+} -doped SrAl_2O_4 with codopants Dy^{3+} and B^{3+} . *Chemistry of Materials*. 17(15), 3904-3912.
- Coran, A.Y., Das, B. and Patel, R.P. 1978. Thermoplastic vulcanizates of olefin rubber and polyolefin resin. United States Patent No. US 4130535 A, December 1978.
- Feldmann, C., Jüstel, T., Ronda, C. R. and Schmidt, P. J. 2003. Inorganic luminescent materials: 100 years of research and application. *Advanced Functional Materials*. 13(7), 511-516.
- Fereja, T. H., Hymete, A., and Gunasekaran, T. 2013. A recent review on

- chemiluminescence reaction, principle and application on pharmaceutical analysis. *ISRN Spectroscopy*. 2013, 1-12. Available from: <http://dx.doi.org/10.1155/2013/230858> [January 20, 2017].
- George, J., Joseph, R., Thomas, S. and Varughese, K.T. 1995. High density polyethylene/acrylonitrile butadiene rubber blends: Morphology, mechanical properties, and compatibilization. *Journal of Applied Polymer Science*. 57(4), 449-465.
- George, J., Neelakantan, N.R., Varughese, K.T. and Thomas, S. 2006. Failure properties of thermoplastic elastomers from polyethylene/nitrile rubber blends: Effect of blend ratio, dynamic vulcanization, and filler incorporation. *Journal of Applied Polymer Science*. 100(4), 2912-2929.
- George, S., Ramamurthy, K., Anand, J.S., Groeninckx, G., Varughese, K.T. and Thomas, S. 1999. Rheological behaviour of thermoplastic elastomers from polypropylene/acrylonitrile-butadiene rubber blends: effect of blend ratio, reactive compatibilization and dynamic vulcanization. *Polymer*. 40(15), 4325-4344.
- Govorčin Bajsić, E., Pustak, A., Šmit, I. and Leskovic, M. 2010. Blends of thermoplastic polyurethane and polypropylene. II. Thermal and morphological behavior. *Journal of Applied Polymer Science*, 117(3), 1378-1384.
- Guo, C., Luan, L., Huang, D., Su, Q. and Lv, Y. 2007. Study on the stability of phosphor $\text{SrAl}_2\text{O}_4:\text{Eu}^{2+}$, Dy^{3+} in water and method to improve its moisture resistance. *Materials Chemistry and Physics*. 106(2), 268-272.
- Holden, G. 2000. *Understanding Thermoplastic Elastomers*. Hanser Publishers, Munich, Germany, pp. 9-63.
- John, B., Varughese, K. T., Oommen, Z., Pötschke, P. and Thomas, S. 2003. Dynamic mechanical behavior of high-density polyethylene/ethylene vinyl acetate copolymer blends: The effects of the blend ratio, reactive compatibilization, and dynamic vulcanization. *Journal of Applied Polymer Science*. 87(13), 2083-2099.
- Kitai, A. 2008. *Luminescent materials and applications*. John Wiley & Sons, Ltd.

- England, pp. 21.
- Kundu, P.P. 2000. Improvement of filler-rubber interaction by the coupling action of vegetable oil in carbon black reinforced rubber. *Journal of Applied Polymer Science*. 75, 735–739.
- Le, H.H., Zia, Q., Ilisch, S. and Radusch, H.J. 2008. Effect of extender oils on the stress relaxation behavior of thermoplastic vulcanizates. *Express Polymer Letters*. 2(11), 791–799.
- Liao, C.Z. and Tjong, S.C. 2010. Mechanical and fracture behaviors of elastomer-rich thermoplastic polyolefin/SiCp nanocomposites. *Journal of Nanomaterials*. 2010, 1-9. Available from: <http://downloads.hindawi.com/journals/jnm/2010/327973.pdf> [January 20, 2017].
- Lin, Y., Tang, Z. and Zhang, Z. 2001. Preparation of long-afterglow $\text{Sr}_4\text{Al}_{14}\text{O}_{25}$ -based luminescent material and its optical properties. *Materials Letters*. 51(1), 14–18.
- Lü, X. 2005. Silica encapsulation study on $\text{SrAl}_2\text{O}_4:\text{Eu}^{2+}$, Dy^{3+} phosphors. *Materials Chemistry and Physics*. 93(2), 526–530.
- Lü, X., Zhong, M., Shu, W., Yu, Q., Xiong, X. and Wang, R. 2007. Alumina encapsulated $\text{SrAl}_2\text{O}_4:\text{Eu}^{2+}$, Dy^{3+} phosphors. *Powder Technology*, 177(2), 83–86.
- Luming Technology Group Co.,Ltd. 2016. PL series photoluminescent pigment. Available online: http://www.luminggroup.com/english/product/index.asp?sid=154&sel_id=150&sel_id_02=154 [May 20, 2016].
- Matsuzawa, T., Aoki, Y., Takeuchi, N., and Murayama, Y. 1996. A new long phosphorescent phosphor with high brightness, $\text{SrAl}_2\text{O}_4:\text{Eu}^{2+}$, Dy^{3+} . *Journal of the Electrochemical Society*. 143(8), 2670–2673.
- Mishra, S.B., Mishra, A.K., Luyt, A.S., Revaprasadu, N., Hillie, K.T., Steyn, W.J.vdM., Coetsee, E. and Swart, H.C. 2010. Ethyl vinyl acetate copolymer— $\text{SrAl}_2\text{O}_4:\text{Eu,Dy}$ and $\text{Sr}_4\text{Al}_{14}\text{O}_{25}:\text{Eu,Dy}$ phosphor-based composites: Preparation and material properties. *Journal of Applied Polymer Science*. 115(1), 579–

587.

- Mishra, S.B., Mishra, A.K., Revaprasadu, N., Hillie, K.T., Steyn, W.J.vdM., Coetsee, E. and Swart, H.C. 2009. Strontium aluminate/polymer composites: Morphology, luminescent properties, and durability. *Journal of Applied Polymer Science*. 112(6), 3347–3354.
- Moly, K.A., Oommen, Z., Bhagawan, S.S., Groeninckx, G. and Thomas, S. 2002. Melt rheology and morphology of LLDPE/EVA blends: Effect of blend ratio, compatibilization, and dynamic crosslinking. *Journal of Applied Polymer Science*. 86(13), 3210–3225.
- Montoya, M., Tomba, J.P., Carella, J.M. and Gobernado-Mitre, M.I. 2004. Physical characterization of commercial polyolefinic thermoplastic elastomers. *European Polymer Journal*. 40(12), 2757–2766.
- Mothudi, B.M., Ntwaeaborwa, O.M., Botha, J.R. and Swart, H.C. 2009. Photoluminescence and phosphorescence properties of $\text{MAl}_2\text{O}_4:\text{Eu}^{2+}, \text{Dy}^{3+}$ ($\text{M}=\text{Ca}, \text{Ba}, \text{Sr}$) phosphors prepared at an initiating combustion temperature of 500°C . *Physica B*. 404(22), 4440–4444.
- Nag, A. and Kutty, T. R. N. 2003. Role of B_2O_3 on the phase stability and long phosphorescence of $\text{SrAl}_2\text{O}_4:\text{Eu}, \text{Dy}$. *Journal of Alloys and Compounds*. 354(1), 221–231.
- Nag, A. and Kutty, T. R. N. 2004. The mechanism of long phosphorescence of $\text{SrAl}_{2-x}\text{B}_x\text{O}_4$ ($0 < x < 0.2$) and $\text{Sr}_4\text{Al}_{14-x}\text{B}_x\text{O}_{25}$ ($0.1 < x < 0.4$) co-doped with Eu^{2+} and Dy^{3+} . *Materials Research Bulletin*. 39(3), 331–342.
- Nakason, C. and Kaewsakul, W. 2010. Influence of oil contents in dynamically cured natural rubber and polypropylene blends. *Journal of Applied Polymer Science*. 115(1), 540–548.
- Nakason, C., Saiwari, S. and Kaesaman, A. 2006a. Thermoplastic vulcanizates based on maleated natural rubber/polypropylene blends: Effect of blend ratios on rheological, mechanical, and morphological properties. *Polymer Engineering and Science*. 46(5), 594–600.

- Nakason, C., Wannavilai, P. and Kaesaman, A. 2006b. Thermoplastic vulcanizates based on epoxidized natural rubber/polypropylene blends: effect of compatibilizers and reactive blending. *Journal of Applied Polymer Science*. 100(6), 4729–4740.
- Oommen, Z. and Thomas, S. 1997. Mechanical properties and failure mode of thermoplastic elastomers from natural rubber/poly(methyl methacrylate)/natural rubber-g-poly(methyl methacrylate) blends. *Journal of Applied Polymer Science*. 65(7), 1245-1255.
- Oommen, Z., Groeninckx, G. and Thomas, S. 2000. Dynamic mechanical and thermal properties of physically compatibilized natural rubber/poly(methyl methacrylate) blends by the addition of natural rubber-graft-poly(methyl methacrylate). *Journal of Polymer Science: Part B: Polymer Physics*. 38(4), 525–536.
- Pandey, S., Raghorte, V. and Sisyawar, A. 2012. Study of luminescence materials and its scientific application. *Bionano Frontier*. 5, 371-375.
- Peng, L., Luo, Y., Dan, Y., Zhang, L., Zhang, Q., Xia, S. and Zhang, X. 2006. The study of preparation and luminescence of polymethyl methacrylate/rare earth composite luminescent materials. *Colloid and Polymer Science*. 285(2), 153–160.
- Peterson, J. D., Vyazovkin, S., and Wight, C. A. 2001. Kinetics of the thermal and thermo-oxidative degradation of polystyrene, polyethylene and poly(propylene). *Macromolecular Chemistry and Physics*. 202(6), 775-784.
- Radhakrishnan, C.K., Sujith, A., Unnikrishnan, G. and Thomas, S. 2004. Effects of the blend ratio and crosslinking systems on the curing behavior, morphology, and mechanical properties of styrene-butadiene rubber/poly(ethylene-covinyl acetate) blends. *Journal of Applied Polymer Science*. 94(2), 827–837.
- Samuel, A. P., Xu, J., and Raymond, K. N. 2008. Predicting efficient antenna ligands for Tb (III) emission. *Inorganic Chemistry*, 48(2), 687-698.
- Sengers, W.G.F., Wubbenhorst. M., Picken, S.J. and Gotsis, A.D. 2005. Distribution of

- oil in olefinic thermoplastic elastomer blends. *Polymer*. 46(17), 6391–6401.
- Shahbikian, S. and Carreau, P. J. 2015. Plasticization and morphology development in dynamically vulcanized thermoplastic elastomers. In *Thermoplastic Elastomers – Synthesis and Applications*, C.K. Das, editors.
- Shenoy, A. 2014. What is the difference between gravitational wave and electromagnetic wave? The same wave but the different initiator or totally different?. Available online: <https://www.quora.com/What-is-the-difference-between-gravitational-wave-and-electromagnetic-wave-The-same-wave-but-the-different-initiator-or-totally-different> [11 August 2016].
- Shin, H., Ullah, S. and Chung, K. 2012. Effect of alkaline ions on the phase evolution, photoluminescence, and afterglow properties of $\text{SrAl}_2\text{O}_4:\text{Eu}^{2+}, \text{Dy}^{3+}$ phosphor. *Journal Ceramics-Silikáty*. 56(4), 295–300.
- Shionoya, S. 2006. Introduction to the handbook. In *Phosphor Handbook*, W. M. Yen, S. Shionoya, and H. Yamamoto, editors. CRC press, Boca Raton, pp 3–5.
- Tanrattanakul, V. and Kaewprakob, T. 2009. Effect of rubber content on mechanical properties and heat shrinkage of ethylene vinyl acetate copolymer blended with epoxidized natural rubber. *Journal of Applied Polymer Science*. 112(3), 1817–1825.
- Tanrattanakul, V. and Kaewprakob, T. 2011. Effect of different curing systems on heat shrinkability and mechanical properties of ethylene vinyl acetate/epoxidized natural rubber blends. *Journal of Applied Polymer Science*. 119(1), 38–46.
- Thitithammawong, A., Nakason, C., Sahakaro, K. and Noordermeer, J. 2007. Effect of different types of peroxides on rheological, mechanical and morphological properties of thermoplastic vulcanizates based on natural rubber/polypropylene blends. *Polymer Testing*. 26(4), 537–546.
- Thitithammawong, A., Noordermeer, J.W.M., Kaesaman, A. and Nakason, C. 2008. Influence of compatibilizers on the rheological, mechanical, and morphological properties of epoxidized natural rubber/polypropylene thermoplastic vulcanizates. *Journal of Applied Polymer Science*. 107(4), 2436–2443.

- Tjong, S. C., Yeung, K. W. K., Wong, K. H. M. and Liao, C. Z. 2014. The development, fabrication, and material characterization of polypropylene composites reinforced with carbon nanofiber and hydroxyapatite nanorod hybrid fillers. *International Journal of Nanomedicine*. 9(1), 1299-1310.
- Uthaipan, N., Jarnthong, M., Peng, Z., Junhasavasdikul, B., Nakason, C., and Thitithammawong, A. 2016. Micro-scale morphologies of EPDM/EOC/PP ternary blends: Relating experiments to predictive theories of dispersion in melt mixing. *Materials and Design*. 100, 19-29.
- Uthaipan, N., Jarnthong, M., Peng, Z., Junhasavasdikul, B., Nakason, C., and Thitithammawong, A. 2015. Effects of cooling rates on crystallization behavior and melting characteristics of isotactic polypropylene as neat and in the TPVs EPDM/PP and EOC/PP. *Polymer Testing*. 44, 101-111.
- Wong, W. F., Mak, C.L., Wong, Y.W. and Hung, C.W. 2006. Preparation and characterization of $\text{SrAl}_2\text{O}_4:\text{Eu}^{2+}, \text{Dy}^{3+}$ doped polymer composites. *Molecular Crystals and Liquid Crystals*. 447(1), 223-232.
- Wu, S., Zhang, S., Liu, Y. and Yang, J. 2007. The organic ligands coordinated long afterglow phosphor. *Materials Letters*. 61(14), 3185-3188.
- Wu, Z. C., Shi, J. X., Wang, J., Wu, H., Su, Q. and Gong, M. L. 2006. Synthesis and luminescent properties of $\text{SrAl}_2\text{O}_4:\text{Eu}^{2+}$ green-emitting phosphor for white LEDs. *Materials Letters*. 60(29), 3499-3501.
- Xiao, L., Meng, S., Junying, Z. and Tianmin, W. 2010. Effect of mixing process on the luminescent properties of $\text{SrAl}_2\text{O}_4:\text{Eu}^{2+}, \text{Dy}^{3+}$ long afterglow phosphors. *Journal of Rare Earths*. 28(1), 150-152.
- Yamamoto, H. and Matsuzawa, T. 1997. Mechanism of long phosphorescence of $\text{SrAl}_2\text{O}_4:\text{Eu}^{2+}, \text{Dy}^{3+}$ and $\text{CaAl}_2\text{O}_4:\text{Eu}^{2+}, \text{Nd}^{3+}$. *Journal of Luminescence*. 72-74, 287-289.
- Yoon, J. H., and Kim, J. S. 2010. Investigation of photocatalytic reaction for the titanium dioxide-phosphor composite. *Ionics*. 16(2), 131-135.
- Yu, F., Yang, Y., Su, X., Mi, C. and Seo, H. J. 2015. Novel long persistent luminescence phosphors: Yb^{2+} codoped MAl_2O_4 (M= Ba, Sr). *Optical*

Materials Express. 5(3), 585-595.

Yu, S., Pi, P., Wen, X., Cheng, J. and Yang, Z. 2008. Preparation and luminescence of $\text{SrAl}_2\text{O}_4:\text{Eu}^{2+}, \text{Dy}^{3+}$ phosphors coated with maleic anhydride. The Canadian Journal of Chemical Engineering. 86, 30-34.

Zhu, Y., Zeng, J., Li, W., Xu, L., Guan, Q. and Liu, Y. 2009a. Encapsulation of strontium aluminate phosphors to enhance water resistance and luminescence. Applied Surface Science. 255(17), 7580-7585.

Zhu, Y., Zheng, M., Zeng, J., Xiao, Y. and Liu, Y. 2009b. Luminescence enhancing encapsulation for strontium aluminate phosphors with phosphate. Materials Chemistry and Physics. 113(2), 721-726.

Prince of Songkla University
Pattani Campus