

## REFERENCES

- Abraham, V.T., Nair, N.R. and Madhu, G. 2009. Electrochemical treatment of skim serum effluent from natural rubber latex centrifuging units. *Journal of Hazardous Materials*. 167(1-3): 494-499.
- Akutsu, Y., Li, Y-Y., Harada, H. and Yu, H-Q. 2009. Effects of temperature and substrate concentration on biological hydrogen production from starch. *International Journal of Hydrogen Energy*. 34(6): 2558-2566.
- Alavandi, S. and Agrawal, A. 2008. Experimental study of combustion of hydrogen-syngas/methane fuel mixtures in a porous burner. *International Journal of Hydrogen Energy*. 33(4): 1407-1415.
- Alrawi, R.A., Ahmad, A., Ismail, N. and Kadir, M.O.A. 2004. Anaerobic co-digestion of palm oil mill effluent with rumen fluid as a co-substrate. *Desalination*. 269(1-3): 50-57.
- Amani, T., Nosrati, M., Mousavi, S.M. and Kermanshahi, R.K. 2011. Study of syntrophic anaerobic digestion of volatile fatty acids using enriched cultures at mesophilic conditions. *International Journal of Environmental Science and Technology*. 8(1): 83-96.
- Angelidaki, I. and Ellegaard, L. 2002. Anaerobic digestion in Denmark: Past, Present and future. P. 129-138, In: *Anaerobic digestion for sustainability in waste (water) treatment and reused*. Proceedings of 7<sup>th</sup> FAO/SREN-Workshop, May 19-22, 2002, Moscow, Russia.
- Angelidaki, I. and Sander, W. 2004. Assessment of the anaerobic biodegradability of macropollutants. *Reviews in Environmental Science and Biotechnology*. 3: 117-129.
- Angenent, L., Karim, K., Al-Dahhan, M., Wrenn, B. and Domínguez-Espinosa, R. 2004. Production of bioenergy and biochemical from industrial and agricultural wastewater. *Trends in Biotechnology*. 22(9): 477-485.
- APHA. Standard methods for the examination of water and wastewater, 20th ed. Washington DC, USA; 1999. p. 1220.
- Araya, R., Araus, K., Utria, K. and Toledo, M. 2014. Optimization of hydrogen production by filtration combustion of natural gas by water addition. *International Journal of Hydrogen Energy*. 39(14): 7338-7345.
- Archer, B.L. 1960. The proteins of *Hevea brasiliensis* latex. 4. Isolation and characterization of crystalline heveine. *Biochemistry Journal*. 75: 236-240.
- Argun, H. and Kargi, F. 2010. Bio-hydrogen production from ground wheat starch by continuous combined fermentation using annular-hybrid bioreactor. *International Journal of Hydrogen Energy*. 35: 6170-6178.
- Argun, H. and Kargi, F. 2011. Bio-hydrogen production by different operational modes of dark and photo-fermentation: An overview. *International Journal of Hydrogen Energy*. 36(13): 7443-7459.
- Badieei, M., Jahim, J.M., Anuar, N. and Abdullah, S.R.S. 2011. Effect of hydraulic retention time on biohydrogen production from palm oil mill effluent in anaerobic sequencing batch reactor. *International Journal of Hydrogen Energy*. 36(10): 5912-5919.
- Batstone, D.J., Keller, J., Angelidaki, I., Kalyuzhny, S.V., Pavlostathis, S.G., Rozzi, A., Sanders, W.T.M., Siegrist, H. and Vavilin, V.A. 2002. *Anaerobic digestion model no. 1 (ADM1)*. IWA Publishing.
- Boe, K. 2006. Online monitoring and control of the biogas process. PhD Thesis of Institute of Environment & Resources, Technical University of Denmark, Denmark.

- Cabirol, N., Barragán, E.J., Durán, A. and Noyola, A. 2003. Effect of aluminum and sulphate on anaerobic digestion of sludge from wastewater enhanced primary treatment. *Water Science and Technology*. 48(6): 235–240.
- Çakır, A., Özmihci, S. and Kargı, F. 2010. Comparison of bio-hydrogen production from hydrolyzed wheat starch by mesophilic and thermophilic dark Fermentation. *International Journal of Hydrogen Energy*. 35: 13214-13218.
- Calli, B., Schoenmaekers, K., Vanbroekhoven, K. and Diels, L. 2008. Dark fermentative H<sub>2</sub> production from xylose and Lactose-Effects of on-line pH control. *International Journal of Hydrogen Energy*. 33: 522-530.
- Castelló, E., Santos, C.G.Y., Iglesias, T., Paolino, G. and Wenzel, J. 2009. Feasibility of biohydrogen production from cheese whey using a UASB reactor: Links between microbial community and reactor performance. *International Journal of Hydrogen Energy*. 34(14): 5674-5682.
- Cavinato, C., Giuliano, A., Bolzonella, D., Pavan, P. and Cecchi, F. 2012. Bio-hythane production from food waste by dark fermentation coupled with anaerobic digestion process: A long-term pilot scale experience. *International Journal of Hydrogen Energy*. 37:11549-11555.
- Chan, W.N. and Holtzapple, M. 2003. Conversion of municipal solid wastes to carboxylic acids by thermophilic fermentation. *Applied Biochemistry and Biotechnology*. 111(2): 93-112.
- Chan, W.N. and Holtzapple, M. 2003. Conversion of municipal solid wastes to carboxylic acids by thermophilic fermentation. *Applied Biochemistry and Biotechnology*. 111(2): 93–112.
- Chen, S., Xue, Z., Wang, D. and Xiang, W. 2012. Hydrogen and electricity co-production plant integrating steam-iron process and chemical looping combustion. *International Journal of Hydrogen Energy*. 37: 8204-8216.
- Chen, Y., Cheng, J.J. and Creamer, K.S. 2008. Inhibition of anaerobic digestion process: A review. *Bioresource Technology*. 99: 4044-4064.
- Cooney, M., Maynard, N., Cannizzaro, C. and Benemann J. 2007. Two-phase anaerobic digestion for production of hydrogen-methane mixture. *Bioresource Technology*. 98: 2641-2651.
- Davila-Vazquez, G., Alatrıste-Mondragón, F., de León-Rodríguez, A. and Razo-Flores, E. 2008. Fermentative hydrogen production in batch experiments using lactose, cheese whey and glucose: Influence of initial substrate concentration and pH. *International Journal of Hydrogen Energy*. 33: 4989-4997.
- Fang, C., O-Thong, S., Boe, K. and Angelidaki, I. 2011. Comparison of UASB and EGSB reactors performance, for treatment of raw and deoiled palm oil mill effluent (POME). *Journal of Hazardous Materials*. 189(1-2): 229-234.
- Ferchichi, M., Crabbe, E., Gil, G.H., Hintz, W. and Almadidy, A. 2005. Influence of initial pH on H<sub>2</sub> production from cheese whey. *Journal of Biotechnology*. 120(4): 402-409.
- Fiegenbaum, F., Martini, E.M., de Souza, M.O., Becker, M.R. and de Souza R.F. 2013. Hydrogen production by water electrolysis using tetra-alkyl-ammonium-sulfonic acid ionic liquid electrolytes. *Journal of Power Sources*. 243: 822-828.
- Hawkes, F., Dinsdale, R., Hawkes, D. and Hussy, I. 2002. Sustainable fermentative hydrogen production: challenges for process optimization. *International Journal of Hydrogen Energy*. 27(11-12): 1339-1347.

- Hussy, I., Hawkes, F.R., Dinsdale, R. and Hawkes, D.L. 2005. Continuous fermentative hydrogen production from sucrose and sugarbeet. *International Journal of Hydrogen Energy*. 30: 471-483.
- Ismail, I., Hassan, M.A., Rahman, N.A.A. and Soon, C.S. 2010. Thermophilic biohydrogen production from palm oil mill effluent (POME) using suspended mixed culture. *Biomass and Bioenergy*. 34(1): 42-47.
- Jawjit, S., Jawjit, W. and Liengcharernsit, W. 2010. Anaerobic Mesophilic and Thermophilic Treatment of Concentrated Latex Processing Wastewater in Two-Stage Upflow Anaerobic Sludge Blanket (UASB). *Journal of International Environmental Application and Science*. 5(3): 329-341.
- Kalil, M.S., Alshiyab, H.S. and Yusoff, W.M.W. 2008. Effect of Nitrogen Source and Carbon to Nitrogen Ratio on Hydrogen Production using *C. acetobutylicum*. *American Journal of Biochemistry and Biotechnology*. 4(4): 393-401.
- Kargi, F., Eren, N.S. and Ozmihci, S. 2012. Hydrogen gas production from cheese whey powder (CWP) solution by thermophilic dark fermentation. *International Journal of Hydrogen Energy*. 37: 2260-2266.
- Khamtib, S., Plangklang, P. and Reungsang, A. 2011. Optimization of fermentative hydrogen production from hydrolysate of microwave assisted sulfuric acid pretreated oil palm trunk by hot spring enriched culture. *International Journal of Hydrogen Energy*. 36: 14204-14216.
- Khan, Z., Yusup, S., Ahmad, M.M. and Chin, B.L.F. 2014. Hydrogen production from palm kernel shell via integrated catalytic adsorption (ICA) steam gasification. *Energy Conversion and Management*. 87: 1224-1230.
- Khemkhao, M., Nuntakumjorn, B., Techkarnjanaruk, S. and Phalakornkule, C. 2012. UASB performance and microbial adaptation during a transition from mesophilic to thermophilic treatment of palm oil mill effluent. *Journal of Environmental Management*. 103: 74-82.
- Kongjan, P. 2010. Biohydrogen production from sugar rich substrates using the dark fermentation process. PhD Thesis, Department of Environmental Engineering, Technical University of Denmark, Denmark.
- Kongjan, P., Jariyaboon, R. and O-Thong, S. 2014. Anaerobic digestion of skim latex serum (SLS) for hydrogen and methane production using a two-stage process in a series of up-flow anaerobic sludge blanket (UASB) reactor. *International Journal of Hydrogen Energy*. 39(33): 19343-19348.
- Kongjan, P., Min, B. and Angelidaki, I. 2009. Biohydrogen production from xylose at extreme thermophilic temperatures (70°C) by mixed culture fermentation. *Water Research*. 43(5): 1414-1424.
- Kongjan, P., O-Thong, S. and Angelidaki, I. 2011. Biohydrogen production from desugared molasses (DM) using thermophilic mixed cultures immobilized on heat treated anaerobic sludge granules. *International Journal of Hydrogen Energy*. 36(21): 14261-14269.
- Kongkaew, C., Dokkhan, C., Pattanawanidchai, S., Chaikumpollert, O. and Loykulnant, S. 2012. Factors affecting creaming efficiency of bio-based polymers, vulcanization and mechanical properties of creamed skim rubber. *Biomass and Bioenergy*. 46: 233-241.
- Kotsopoulos, T., Zeng, R. and Angelidaki, I. 2006. Biohydrogen production in granular up-flow anaerobic sludge blanket (UASB) reactors with mixed cultures under thermophilic temperature (70°C). *Biotechnology and Bioengineering*. 94(2): 296-302.

- Kugelman, I.J. and Chin, K.K. 1971. Toxicity, synergism, and antagonism in anaerobic waste treatment processes. In: Anaerobic Biological Treatment Processes, American Chemical Society Advances in Chemistry Series 105: p. 55–90.
- Lay, J.J. 2000. Modeling and optimization of anaerobic digested sludge converting starch to hydrogen. *Biotechnology and Bioengineering*. 68(3): 269-278.
- Lin, C.Y. 1992. Effect of heavy metals on volatile fatty acid degradation in anaerobic digestion. *Water Research*. 26: 177–183.
- Lin, C.Y. 1993. Effect of heavy metals on acidogenesis in anaerobic digestion. *Water Research*. 27: 147–152.
- Lin, C-Y., Lee, C-Y., Tseng, I-C. and Shiao, I.Z. 2006. Biohydrogen production from sucrose using base-enriched anaerobic mixed microflora. *Process Biochemistry*. 41: 915-919.
- Liu, D., Liu, D., Zeng, R.J. and Angelidaki, I. 2006. Hydrogen and methane production from household solid waste in the two-stage fermentation process. *Water Research*. 40(11): 2230-2236.
- Luo, G., Xie, L., Zhou, Q. and Angelidaki, I. 2011. Enhancement of bioenergy production from organic wastes by two-stage anaerobic hydrogen and methane production process. *Bioresource Technology*. 102(18): 8700-8706.
- Luo, G., Xie, L., Zou, Z., Wang, W., Zhou, Q. and Shim, H. 2010. Anaerobic treatment of cassava stillage for hydrogen and methane production in continuously stirred tank reactor (CSTR) under high organic loading rate (OLR). *International Journal of Hydrogen Energy*. 35(21): 11733-11737.
- Mamimin, C., Thongdumyu, P., Hniman, A., Prasertsan, P., Imai, T. and O-Thong, S. 2012. Simultaneous thermophilic hydrogen production and phenol removal from palm oil mill effluent by *Thermoanaerobacterium*-rich sludge. *International Journal of Hydrogen Energy*. 37(20): 15598–15606.
- Mangayil, R., Santala, V. and Karp, M. 2011. Fermentative hydrogen production from different sugars by *Citrobacter* sp. CMC-1 in batch culture. *International Journal of Hydrogen Energy*. 36: 15187-15194.
- Mariakakis, I., Bischoff, P., Krampe, J., Meyer, C. and Steinmetz, H. 2011. Effect of organic loading rate and solids retention time on microbial population during bio-hydrogen production by dark fermentation in large lab-scale. *International Journal of Hydrogen Energy*. 36(17): 10690–10700.
- Mata-Alvarez, J., Mace, S. and Llabres, P. 2000. Anaerobic digestion of organic solid wastes. An overview of research achievements and perspectives. *Bioresource Technology*. 74(1): 3-16.
- Najafpour, G.D., Zinatizadeh, A.A.L., Mohamed, A.R., Isa, M.H. and Nasrollahzadeh, H. 2006. High-rate anaerobic digestion of palm oil mill effluent in an upflow anaerobic sludge-fixed film bioreactor. *Process Biochemistry*. 41(2): 370-379.
- Nakano, A., Maeda, T., Ito, H., Masuda, M., Kawakami, Y., Kato, A., Tange, M., Takahashi, T. and Matsuo, M. 2010. Small-scale hydrogen liquefaction with a two-stage Gifford-McMahon cycle refrigerator. *International Journal of Hydrogen Energy*. 35: 9088-9094.
- Nielsen, H.B., Mladenovska, Z., Westermann, P. and Ahring, B.K. 2004. Comparison of two-stage thermophilic (68°C/55°C) anaerobic digestion with one-stage thermophilic (55°C) digestion of cattle manure. *Biotechnology and Bioengineering*. 86: 291-300.
- Nkemka, V.N. 2012. Two-Stage Conversion of Land and Marine Biomass for Biogas and Biohydrogen Production. Department of Biotechnology, Lund University.

- Noike, T., Takabatake, H., Mizuno, O. and Ohba, M. 2002. Inhibition of hydrogen fermentation of organic wastes by lactic acid bacteria. *International Journal of Hydrogen Energy*. 27: 1367-1371.
- Oleszkiewicz, J.A. and Sharma, V.K. 1990. Stimulation and inhibition of anaerobic process by heavy metals – a review. *Biological Wastes*. 31: 45–67.
- Oleszkiewicz, J.A. and Sharma, V.K. 1990. Stimulation and inhibition of anaerobic process by heavy metals – a review. *Biological Wastes*. 31: 45–67.
- Ortiz, A.L., Segura, F.J.N., Jabalera, R.S., Paula, M.M.d.S, Campo, E.A.d, Gutie´rrez, J.S., Bretado, M.A.E. and Collins-Marti´nez, V. 2013. Low temperature sugar cane bagasse pyrolysis for the production of high purity hydrogen through steam reforming and CO<sub>2</sub> capture. *International Journal of Hydrogen Energy*. 38: 12580-12588.
- O-Thong, S., Boe, K. and Angelidaki, I. 2012. Thermophilic anaerobic co-digestion of oil palm empty fruit bunches with palm oil mill effluent for efficient biogas production. *Applied Energy*. 93: 648-654.
- O-Thong, S., Prasertsan, P., Intrasungkha, N., Dhamwichukorn, S. and Birkeland, N.K. 2008. Optimization of simultaneous thermophilic fermentative hydrogen production and COD reduction from palm oil mill effluent by *Thermoanaerobacterium*-rich sludge. *International Journal of Hydrogen Energy*. 33(4): 1221–1231.
- Özmen, P. and Aslanzadeh, S. 2009. Biogas production from municipal waste mixed with different portions of orange peel. University of Borås.
- Park, M.J., Jo, J.H., Park, D., Lee, D.S. and Park, J.M. 2010. Comprehensive study on a two-stage anaerobic digestion process for the sequential production of hydrogen and methane from cost-effective molasses. *International Journal of Hydrogen Energy*. 35: 6194-6202.
- Parthasarathy, P. and Narayanan, K.S. 2014. Hydrogen production from steam gasification of biomass: Influence of process parameters on hydrogen yield : A review. *Renewable Energy*. 66: 570-579.
- Patel, G.B. and Roth, L.A. 1977. Effect of sodium chloride on growth and methane production of methanogens. *Canadian Journal of Microbiology*. 23: 893–897.
- Perera, K.R.J. and Nirmalakhandan, N. 2010. Enhancing fermentative hydrogen production from sucrose. *Bioresource Technology*. 101: 9137-9143.
- Perera, K.R.J. and Nirmalakhandan, N. 2011. Evaluation of dairy cattle manure as a supplement to improve net energy gain in fermentative hydrogen production from sucrose. *Bioresource Technology*. 102: 8688-8695.
- Perera, K.R.J. and Nirmalakhandan, N. 2011. Evaluation of dairy cattle manure as a supplement to improve net energy gain in fermentative hydrogen production from sucrose. *Bioresource Technology*. 102: 8688-8695.
- Perna, V., Castello´, E., Wenzel, J., Zampol, C., Lima, D.M.F., Borzacconi, L., Varesche, M.B., Zaiat, M. and Etchebehere, C. 2013. Hydrogen production in an upflow anaerobic packed bed reactor used to treat cheese whey. *International Journal of Hydrogen Energy*. 38: 54-62.
- Perrella, F.W. and Gaspari, A.A. 2002. Natural rubber latex protein reduction with an emphasis on enzyme treatment. *Methods*. 27(1): 77-86.
- Prasertsan, P., O-Thong, S. and Birkeland, N.K. 2009. Optimization and microbial community analysis for production of biohydrogen from palm oil mill effluent by thermophilic fermentative process. *International Journal of Hydrogen Energy*. 34(17): 7448–7459.

- Prasertsan, P., O-Thong, S. and Birkeland, N-K. 2009. Optimization and microbial community analysis for production of biohydrogen from palm oil mill effluent by thermophilic fermentative process. *International Journal of Hydrogen Energy*. 34(17): 7448-7459.
- Rabady, R.I. 2014. Solar spectrum management for effective hydrogen production by hybrid thermo-photovoltaic water electrolysis. *International Journal of Hydrogen Energy*. 39: 6827-6836.
- Remón, J., Broust, F., Valette, J., Chhiti, Y., Alava, I., Fernandez-Akarregi, A.R., Arauzo, J. and Garcia, L. 2014. Production of a hydrogen-rich gas from fast pyrolysis bio-oils: Comparison between homogeneous and catalytic steam reforming routes. *International Journal of Hydrogen Energy*. 39(1): 171-182.
- Ren, Y., Wang, J., Liu, Z., Ren, Y. and Li, G. 2009. Hydrogen production from the monomeric sugars hydrolyzed from hemicellulose by *Enterobacter aerogenes*. *Renewable Energy*. 34: 2774-2779.
- Rippel, M.M., Lee, L-T., Leite, C.A.P. and Galembeck, F. 2003. Skim and cream natural rubber particles: colloidal properties, coalescence and film formation. *Journal of Colloid and Interface Science*. 268(2): 330-340.
- Rosa, P.R.F., Santos, S.C. and Silva, E.L. 2014. Different ratios of carbon sources in the fermentation of cheese whey and glucose as substrates for hydrogen and ethanol production in continuous reactors. *International Journal of Hydrogen Energy*. 39: 1288-1296.
- Rosales-Colunga, L.M., Razo-Flores, E. and Rodríguez, A.D.L. 2012. Fermentation of lactose and its constituent sugars by *Escherichia coli* WDHL: Impact on hydrogen production. *Bioresource Technology*. 111: 180-184.
- Rupani, P.F., Rupani, R.P., Ibrahim, M.H. and Esa, N. 2010. Review of Current Palm Oil Mill Effluent (POME) Treatment Methods: Vermicomposting as a Sustainable Practice. *World Applied Sciences Journal*. 11(1): 70-81.
- Saelee, Rattana. 2010. Chemical absorption and degradation kinetics of Iron(III)chelate in H<sub>2</sub>S removal process. A thesis submitted in partial fulfillment of the requirements for the degree of Doctor of Engineering, Prince of Songkla University. Thailand.
- Sama, K., Jariyaboon, R. and Kongjan, P. Dark co-fermentation of skim latex serum (SLS) and palm oil mill effluent (POME) under thermophilic conditions for efficient biohydrogen production. *Khon Kaen University Research Journal*. Article in press.
- Sansatsadeekul, J., Sakdapipanich, J. and Rojruthai, P. 2011. Characterization of associated proteins and phospholipids in natural rubber latex. *Journal of Bioscience Bioengineering*. 111(6): 628-634.
- Santipanusopon, S. and Riyajan, S-A. 2009. Effect of field natural rubber latex with different ammonia contents and storage period on physical properties of latex concentrate, stability of skim latex and dipped film. *Physics Procedia*. 2(1): 127-134.
- Saraphirom, P. and Reungsang, A. 2011. Effect of Organic Loading Rate on Biohydrogen Production from Sweet Sorghum Syrup by Anaerobic Mixed Cultures in Anaerobic Sequencing Batch Reactor. *International Journal of Hydrogen Energy*. 36(14): 8765-8773.
- Schink, B. 1997. Energetics of syntrophic cooperation in methanogenic degradation, *Microbiology and Molecular Biology Reviews*. 61: 262-280.

- Shao, S., Shi, A-W., Liu, C-L., Yang, R-Z. and Dong, W-S. 2014. Hydrogen production from steam reforming of glycerol over Ni/CeZrO catalysts. *Fuel Processing Technology*. 125: 1-7.
- Sittijunda, S. and Reungsang, A. 2012. Biohydrogen production from waste glycerol and sludge by anaerobic mixed cultures. *International Journal of Hydrogen Energy*. 37(18): 13789-13796.
- Sreela-or, C., Imai, T., Plangklang, P. and Reungsang, A. 2011. Optimization of key factors affecting hydrogen production from food waste by anaerobic mixed cultures. *International Journal of Hydrogen Energy*. 36(21): 14120-14133.
- Takashima, M. and Speece, R.E. 1989. Mineral nutrient requirements for high rate methane fermentation of acetate at low SRT. *Research Journal of the Water Pollution Control Federation*. 61 (11–12): 1645–1650.
- Taweepreda, W. 2013. Rubber recovery from centrifuged natural rubber latex residue using sulfuric acid. *Songklanakarin Journal of Science and Technology*. 35(2): 213-216.
- Udoetok, I.A. 2012. Characterization of ash made from oil palm empty fruit bunches (oefb). *International Journal of Environmental Sciences*. 3(1): 518-524
- Veerasamy, D. and Ismail, A.F. 2012. Rehabilitation of fouled membrane from natural rubber skim latex concentration through membrane autopsy and ultrasonication enhanced membrane cleaning procedure. *Desalination*. 286: 235-241.
- Xia, A., Cheng, J., Ding, L., Lin, R., Song, W., Zhou, J. and Cen, K. 2014. Enhancement of energy production efficiency from mixed biomass of *Chlorella pyrenoidosa* and cassava starch through combined hydrogen fermentation and methanogenesis. *Applied Energy*. 120: 23-30.
- Yejian, Z., Li, Y., Lina, C., Xiuhua, L., Zhijian, M. and Zhenjia, Z. 2008. Startup and operation of anaerobic EGSB reactor treating palm oil mill effluent. *Journal of Environmental Sciences*. 20(6): 658–663.
- Yossan, S., O-Thong, S. and Prasertsan, P. 2012. Effect of initial pH, nutrients and temperature on hydrogen production from palm oil mill effluent using Thermotolerant consortia and corresponding microbial communities. *International Journal of Hydrogen Energy*. 37(18): 13806-13814.
- Yu, H.Q., Tay, J.H. and Fang, H.H.P. 2001. The roles of calcium in sludge granulation during UASB reactor start-up. *Water Resources*. 35(4): 1052-1060.
- Yu, H.Q., Tay, J.H., Fang, H.H.P., 2001. The roles of calcium in sludge granulation during UASB reactor start-up. *Water Research*. 35(4): 1052–1060.
- Zhang, Z-P., Show, K-Y., Tay, J-H., Liang, D.T., Lee, D-J. and Jiang, W-J. 2006. Effect of hydraulic retention time on biohydrogen production and anaerobic microbial community. *Process Biochemistry*. 41: 2118-2123.
- Zheng, X-J. and Yu, H-Q. 2005. Inhibitory effects of butyrate on biological hydrogen production with mixed anaerobic cultures. *Journal of Environmental Management*. 74: 65–70.
- Zhu, H., Stadnyk, A., Beland, M. and Seto, P. 2008. Co-production of hydrogen and methane from potato waste using a two-stage anaerobic digestion process. *Bioresource Technology*. 99(11): 5078-5084.
- Zinatizadeh, A.A.L., Mohamed, A.R., Najafpour, G.D., Isa, M.H. and Nasrollahzadeh, H. 2006. Kinetic evaluation of palm oil mill effluent digestion in a high rate up-flow anaerobic sludge fixed film bioreactor. *Process Biochemistry*. 41(5): 1038–1046.

## **APPENDICES**