

## Contents

	Page
Abstract	6
Acknowledgements	7
Contents	8
List of tables	10
List of figures	11
Chapter 1: Introduction	12
1.1 Background	12
1.2 Objectives	14
1.3 Expected advantages	14
1.4 Literature review	15
1.5 Scope of the research	17
Chapter 2: Methodology	18
2.1 Study design	18
2.2 Population and sample	18
2.3 Inclusion criteria	19
2.4 Exclusion criteria	19
2.5 Variables and conceptual framework	20
2.6 Data collection	21
2.7 Measurements of renal function	22
2.8 Statistical methods	23
2.9 Flow of data processing	28

Chapter 3: Preliminary Data Analysis	30
3.1 Variables of interest	30
3.2 Distribution of the determinants	31
3.3 Distribution of outcome variable	33
3.4 Association between outcome and categorical determinants	34
Chapter 4: Statistical Modeling	38
4.1 Logistic regression model	38
4.2 Reduced model	39
Chapter 5: Discussion and Conclusion	41
5.1 Discussion	41
5.2 Conclusion	42
5.3 Limitations of the study	42
5.4 Implementation	43
5.5 Recommendations and further research	44
References	45
Appendix	48
Vitae	57

## List of Tables

Tables	Page
2.1 Dose adjustment of anti-gouts according to eCrCl	23
3.1 Variables, role and data type	30
3.2 Frequency distribution of categorical determinants	32
3.3 Frequency distribution of gender	32
3.4 Frequency distribution of CKD stage	33
3.5 Distributions of the CKD among gout patients by each study variable	34
4.1 Model of association between determinants and CKD	39
4.2 Reduced model of association between determinants and CKD	40

Prince of Songkhla University  
Pattani Campus

## List of Figures

Figures	Page
2.1 Diagram of gout patient selection	19
2.2 Conceptual framework showing variables in the study	21
2.3 Flow diagram for data processing	29
3.1 Association between CKD and present HT	36
3.2 Association between CKD and present dyslipidemia	37
3.3 Association between CKD and serum uric acid	37

Prince of Songkla University  
Pattani Campus